

**AQUA**  
JAPAN

AQUA

05  
18  
03

MAGICCONVERTIBLE



POPULAR BRAND  
2021 & 2022

**REFRIGERATOR**  
CATALOGUE 2022





## SMART CONTROL

### ENJOY WITH SMART CONTROL SYSTEM

Hubungkan dengan aplikasi Haismart sehingga Anda dapat mengakses langsung semua smart appliances dan perangkat IoT. Dengan suara atau sentuhan, Anda bisa mengatur dan mengubah pengaturan kapan saja.

### MULTI DOOR WITH MAGIC CONVERTIBLE ROOM

#### MAGIC CONVERTIBLE CONVERTIBLE ZONE

Now regulate your temperature ranging from -18°C to 5°C

Reference: The temperature of each layer is adjustable


0°C

-10°C

-18°C

FRESH BOX / 0°C

5°C



CONVERTIBLE COOLING TO MEET MULTIPLE STORAGE NEEDS



#### Auto Connect Inverter

Auto Smart Connect TM adalah teknologi yang membantu menghubungkan kulkas Anda ke inverter rumah.



#### Magic Cooling with DEO Fresh Technology

Hasilkan pendinginan 360° dengan kesegaran selama 21 hari.



#### Flexible Box

Laci penyimpanan fungsional



#### Jumbo Ice Maker

Produksi es kapan pun membutuhkan dengan tambahan ruang penyimpanan.



#### Energy Saving

Ramah lingkungan dan hemat energi.



#### Noiseless

Meredam kebisingan dengan daya tahan kompresor yang tinggi.

### 83% Convertible Fridge

Ubah lemari es Anda menjadi 83% lebih besar dalam penyimpanan.

83%



#### AQR-IG685AMT

#### SPECIFICATION

• Net Capacity (Liter)

Total : 562

• Dimensions WxDxH (mm)

Unit : 905x697x1775

• Power Consumption (Watt Hr)

Daya : 57 W



Glass Black



# MULTI DOOR



## AQR-IG745AM



### SPECIFICATION

- **Net Capacity (Liter)**  
Total: 658
- **Dimensions WxDxH (mm)**  
Unit: 908x748x1905
- **Power Consumption (Watt Hr)**  
Daya: 41 W



● Glass Black



## AQR-IG645AM

### SPECIFICATION

- **Net Capacity (Liter)**  
Total: 549
- **Dimensions WxDxH (mm)**  
Unit: 908x668x1900
- **Power Consumption (Watt Hr)**  
Daya: 39 W



● Glass Black



## AQR-IG525AM

### SPECIFICATION

- **Net Capacity (Liter)**  
Total: 456
- **Dimensions WxDxH (mm)**  
Unit: 833x666x1804
- **Power Consumption (Watt Hr)**  
Daya: 49 W



● Glass Black



## AQR-IM525AM

### SPECIFICATION

- **Net Capacity (Liter)**  
Total: 456
- **Dimensions WxDxH (mm)**  
Unit: 833x666x1804
- **Power Consumption (Watt Hr)**  
Daya: 49 W




● Slate Black





1ST BRAND IN ANTIBACTERIAL  
DOOR FINISH INITIATIVE



Uji VDE meyakinkan bahwa pelapis pintu ini efisien dalam Antibakteri sebesar 99%, yang memberikan perlindungan sehat untuk bagian dalam dan luar.

AQUA



99.9% Anti Bacterial Door

Super Protective Layer

Antibacterial Layer

Antioxidant Antiseptic Layer


Dull Polish Layer

Shimmer Layer

Baseplate aSheet

Basics Sheet

Premium Metal Sheet



90° Auto suspension



90°

FREE ONE HAND

# SIDE BY SIDE



**AQR-675IG**

**SPECIFICATION**

- **Net Capacity (Liter)**  
Total: 602
- **Dimensions WxDxH (mm)**  
Unit: 905x705x1775
- **Power Consumption (Watt Hr)**  
Daya: 44 W



● Glass Black



**AQR-605IG**

**SPECIFICATION**

- **Net Capacity (Liter)**  
Total: 541
- **Dimensions WxDxH (mm)**  
Unit: 905x647x1775
- **Power Consumption (Watt Hr)**  
Daya: 44 W



● Glass Black



## ANTI BACTERIAL DOOR



**AQR-605IM**

**SPECIFICATION**

- **Net Capacity (Liter)**  
Total: 541
- **Dimensions WxDxH (mm)**  
Unit: 905x647x1775
- **Power Consumption (Watt Hr)**  
Daya: 44 W



● Slate Black



**AQR-565IM**

**SPECIFICATION**

- **Net Capacity (Liter)**  
Total: 480
- **Dimensions WxDxH (mm)**  
Unit: 836x647x1775
- **Power Consumption (Watt Hr)**  
Daya: 41 W



● Slate Black



# HCS MOIST ZONE

HUMIDITY ≈ 90%



## PROBLEM

Buah & sayuran cenderung mengalami dehidrasi dengan cepat.

## SOLUTION

Saat kelembapan lebih rendah dari 90%, HCS Ecology Plant Membrane® mengunci molekul air dengan mengecilkan ukuran bukaan. Ketika kelembapan lebih tinggi dari 90%, ukuran bukaan meningkat, memungkinkan molekul air melewatinya.

## BENEFIT

Tanpa dehidrasi & pengawetan hingga 7 hari.




## Humidity Control System

Mengontrol kelembapan untuk mengawetkan makanan di zona basah dan kering dengan tepat.



Keep up of humidity



## HCS 7 DAY

### COMPARISON OF PRESERVATION



#### BAYAM



AQUA Refrigerator  
Dengan HCS

Ordinary Refrigerator

Weight loss

7.51%

Weight loss

31.20%



#### STRAWBERRY



AQUA Refrigerator  
Dengan HCS


Ordinary Refrigerator

Weight loss

0.74%

Weight loss

15.78%



#### CHERRY TOMATOES



AQUA Refrigerator  
Dengan HCS

Ordinary Refrigerator

Weight loss

1.76%

Weight loss

7.04%




WET ZONE  
90%  
HUMIDITY

DRY ZONE  
45%  
HUMIDITY



#### BLUEBERRY



AQUA Refrigerator  
Dengan HCS

Ordinary Refrigerator

Weight loss


0.51%

Weight loss

4.48%



#### SELADA



AQUA Refrigerator  
Dengan HCS

Ordinary Refrigerator

Weight loss

7.33%

Weight loss

35.73%

# DRY ZONE

HUMIDITY ≈ 45%



Keep up of humidity

## PROBLEM

Makanan kering mudah basah di musim hujan.

## SOLUTION

Suhu udara khusus memberikan udara dingin yang kering untuk menghilangkan kelembapan, mempertahankan tingkat kelembapan sekitar 45%.

## BENEFIT

Ruang khusus untuk makanan & bahan kering, bebas dari redaman.





1ST BRAND IN MAGIC ROOM INITIATIVE

# MAGIC ROOM

GIVE FRESH THE BEST CHOICE

Big Fridge

Sea Food



Soft Freezer




Pure Ice Room



Snow Beverage




Magic Room sebagai apartemen temperatur yang dapat diubah, menyesuaikan suhu dari -18°C hingga 5°C, memenuhi permintaan kesegaran yang bervariasi, 3 ruang dalam 2 pintu, memenuhi kebutuhan keluarga akan ruang penyimpanan yang terbaik.



## FRIDGE ZONE

Suhu dapat disesuaikan untuk mengubah Magic Room menjadi ruang lemari es kedua.



## FREEZER ZONE

Suhu dapat disesuaikan untuk mengubah Magic Room menjadi ruang pembekuan kedua.



## SOFT FREEZING ZONE



Suhu soft freezing yang paling baik adalah -7°C. Atau disebut juga sebagai "Soft Freezing Pro".





# Soft Freezing Pro

-7°C adalah suhu penyimpanan terbaik untuk ikan dan daging. Membekukan dengan benar sambil menjaga kesegaran makanan. Di bawah suhu ini, sel-sel makanan tetap lengkap, oleh karena itu rasa makanan tetap terjaga.

Selain itu, daging yang dibekukan pada suhu -7°C tidak perlu dicairkan. Mereka dapat dengan mudah dipotong, yang menghemat waktu dan lebih nyaman untuk memasak.



## 5 HOURS COMPARISON OF FREEZING







**AQR-350RBG(BK)**

**SPECIFICATION**

- **Net Capacity (Liter)**  
Total: 324
- **Dimensions WxDxH (mm)**  
Unit: 598x681x1775
- **Power Consumption (Watt Hr)**  
Daya: 44 W



● Glass Black



**AQR-350RBM(BK)**



**SPECIFICATION**

- **Net Capacity (Liter)**  
Total: 324
- **Dimensions WxDxH (mm)**  
Unit: 598x681x1775
- **Power Consumption (Watt Hr)**  
Daya: 44 W



● Metal




**AQR-320RBG(BK)**

**SPECIFICATION**

- **Net Capacity (Liter)**  
Total: 292
- **Dimensions WxDxH (mm)**  
Unit: 598x681x1650
- **Power Consumption (Watt Hr)**  
Daya: 42 W



● Glass Black



**AQR-320RBM(BK)**



**SPECIFICATION**

- **Net Capacity (Liter)**  
Total: 292
- **Dimensions WxDxH (mm)**  
Unit: 598x681x1650
- **Power Consumption (Watt Hr)**  
Daya: 42 W



● Metal



# TOP FREEZER



## AQR-405IG(BK)

### SPECIFICATION

• **Net Capacity (Liter)**

Total: 312

• **Dimensions WxDxH (mm)**

Unit: 559x698x1735

• **Power Consumption (Watt Hr)**

Daya: 41 W



● Black

MAGIC ROOM



## AQR-355IM/IG

### SPECIFICATION

• **Net Capacity (Liter)**

Total: 270

• **Dimensions WxDxH (mm)**

Unit: 545x635x1630

• **Power Consumption (Watt Hr)**

Daya: 25 W



● Metal Dark Silver

● Glass Black



## AQR-D275R

### SPECIFICATION

• **Net Capacity (Liter)**

Total: 220

• **Dimensions WxDxH (mm)**

Unit: 540x655x1530

• **Power Consumption (Watt Hr)**

Daya: 43 W



● Glass Black

● Dark Blue



## AQR-D270

### SPECIFICATION

• **Net Capacity (Liter)**

Total: 220

• **Dimensions WxDxH (mm)**

Unit: 540x655x1530

• **Power Consumption (Watt Hr)**

Daya: 50 W



● Light Silver

● Dark Silver





**AQR-D261**

**SPECIFICATION**

- **Net Capacity (Liter)**  
Total: 203
- **Dimensions WxDxH (mm)**  
Unit: 540x585x1532
- **Power Consumption (Watt Hr)**  
Daya: 80 W



- Light Silver
- Dark Silver



**AQR-D251**

**SPECIFICATION**

- **Net Capacity (Liter)**  
Total: 169
- **Dimensions WxDxH (mm)**  
Unit: 540x585x1344
- **Power Consumption (Watt Hr)**  
Daya: 80 W



- Light Silver
- Dark Silver



**SINGLE DOOR**



**AQR-D191**

**SPECIFICATION**

- **Net Capacity (Liter)**  
Total: 153
- **Dimensions WxDxH (mm)**  
Unit: 540x515x1129
- **Power Consumption (Watt Hr)**  
Daya: 30 W



- Dark Silver
- Light Silver



**AQR-D181**

**SPECIFICATION**

- **Net Capacity (Liter)**  
Total: 137
- **Dimensions WxDxH (mm)**  
Unit: 505x515x1052.5
- **Power Consumption (Watt Hr)**  
Daya: 35 W



- Dark Silver
- Light Silver





New Floral Door Design



Multi Air Flow



Bigger Vegetable Box



AQR-D270



**SPECIFICATION**

• Net Capacity (Liter)

Total: 220

• Dimensions WxDxH (mm)

Unit: 540x655x1530

• Power Consumption (Watt Hr)

Daya: 50 W



● Lily Blue  
● Lily Black



AQR-D261



**SPECIFICATION**

• Net Capacity (Liter)

Total: 203

• Dimensions WxDxH (mm)

Unit: 540x585x1532

• Power Consumption (Watt Hr)

Daya: 80 W



● Lily Blue  
● Lily Black





### AQR-D251

#### SPECIFICATION

• **Net Capacity (Liter)**

Total: 169

• **Dimensions WxDxH (mm)**

Unit: 540x585x1344

• **Power Consumption (Watt Hr)**

Daya: 80 W



- Lily Blue
- Lily Black



### AQR-D191

#### SPECIFICATION

• **Net Capacity (Liter)**

Total: 153

• **Dimensions WxDxH (mm)**

Unit: 540x515x1129

• **Power Consumption (Watt Hr)**

Daya: 30 W



- Lily Blue
- Lily Black



### AQR-D181

#### SPECIFICATION

• **Net Capacity (Liter)**

Total: 137

• **Dimensions WxDxH (mm)**

Unit: 505x515x1052.5

• **Power Consumption (Watt Hr)**

Daya: 35 W



- Lily Blue
- Lily Black



### AQR-190

#### SPECIFICATION

• **Net Capacity (Liter)**

Total: 162.5

• **Dimensions WxDxH (mm)**

Unit: 486x554x1260

• **Power Consumption (Watt Hr)**

Daya: 80 W



- Lily Blue
- Lily Black





### AQR-D190

#### SPECIFICATION

- Net Capacity (Liter)  
Total: 162.5
- Dimensions WxDxH (mm)  
Unit: 486x554x1260
- Power Consumption (Watt Hr)  
Daya: 80 W



- Dark Silver
- Light Silver



### AQF-S6

#### SPECIFICATION

- Net Capacity (Liter)  
Total: 167
- Dimensions WxDxH (mm)  
Unit: 545x635x1295
- Power Consumption (Watt Hr)  
Daya: 45 W



### AQF-S4

#### SPECIFICATION

- Net Capacity (Liter)  
Total: 121
- Dimensions WxDxH (mm)  
Unit: 545x635x1020
- Power Consumption (Watt Hr)  
Daya: 45 W



- Silver
- Dark Silver



### AQR-D50F

#### SPECIFICATION

- Net Capacity (Liter)  
Total: 47
- Dimensions WxDxH (mm)  
Unit: 473x483x480
- Power Consumption (Watt Hr)  
Daya: 20 W



- White
- Silver



### TWIN INVERTER

Kecepatan kompresor dan kipas yang menyesuaikan dengan kebutuhan penyimpanan.



### LOW VOLTAGE RUNNING

Mempertahankan kinerja kulkas yang lebih stabil, bahkan pada tegangan yang rendah.



### DIGITAL TEMPERATURE CONTROL

Anda dengan mudah mengatur suhu pada Fridge, Magic Room & Freezer dengan sentuhan pada panel LED.



### TEMPERED GLASS TRAY

Kuat, tahan lama dan mudah dibersihkan.



### 360° AIRFLOW

Sistem sirkulasi udara 360° menyalurkan udara dingin yang merata melalui sistem pendinginan melingkar. Buah & sayur menjadi lebih tahan lama karena temperatur pendinginan merata.



### CONVERTIBLE TRAY

Rak dapat digunakan untuk menyimpan telur atau minuman kaleng.



### DEO FRESH

Mencegah dan menyerap aroma tidak sedap, sehingga makanan terjaga kesegarannya.



### TOP TABLE

Bagian atas kulkas yang datar berfungsi sebagai meja yang nyaman dan tahan panas.



### FULL INSULATION

Mempercepat proses disisi yang lebih rendah untuk menyimpan makanan yang tidak memerlukan suhu dingin.



### REMOVABLE ICE MAKER

Pembuat es manual dan pilihan cetakan es. Ruang ini dapat digunakan untuk penyimpanan tambahan.



### DRY BOX

Laci tambahan disisi yang lebih rendah untuk menyimpan makanan yang tidak memerlukan suhu dingin.



### FREEZER BOX

Memudahkan dalam mengambil makanan atau es dari box freezer.



# SERVICE CENTER & KANTOR CABANG

## BALI

JL. GATOT SUBROTO TIMUR NO.378, KESIMAN PETILAN,  
KEC. DENPASAR TIMUR, BALI 80237

## BANDUNG

KOMPLEK PERGUDANGAN JL. SATRIA RAYA II NO.30A,  
KEC. BABAKAN CIPARAY, KEL. MARGAHAYU UTARA,  
BANDUNG 40224

## BANJARMASIN

JL. GATOT SUBROTO NO.12, KEL. KURIPAN,  
KEC. BANJARMASIN TIMUR, BANJARMASIN 70238

## BATAM

KOMPLEK RUKO STM ALJABAR BLOK A NO.09, BENGKONG,  
BATAM

## BOGOR

JL. PAHLAWAN NO.75, KEL. BONDONGAN, BOGOR 16131

## CIREBON

JL. OTTO ISKANDARDINATA, RUKO CAPITAL POINT BLOK 8M,  
KEL. TEGALWANGI, KEC. WERU, CIREBON

## JAKARTA

JL. DANAU SUNTER BARAT BLOK A3 NO.38-39, SUNTER,  
JAKARTA UTARA 14350

## JEMBER

JL. TRUNOJOYO RUKO JBC A-2, KEL. KEPATIHAN,  
KEC. KALIWATES, JEMBER 68137

## MAKASSAR

Jl. GUNUNG BULUSARAUNG NO. 109, MAKASSAR

## MANADO

RUKO BOULEVARD JL. PIERE TENDEAN A 32/33,  
KEL. SARIO TUMPAAN KEC. SARIO KAB/KOTA MANADO,  
95111, PROV. SULAWESI UTARA

## MEDAN

JL. GAGAK HITAM, KOMPLEK RUKO OCBC, NO 46-47,  
ASAM KUMBANG, KEC. MEDAN SELAYANG, 20122

## PALEMBANG

JL. PERINTIS KEMERDEKAAN, BLOK C NO.4/1733,  
RT.21/06, KEL. KUTO BATU, KEC. ILIR TIMUR II,  
PALEMBANG 30114

## PEKANBARU

JL. ARENGKA II, KOMPLEK PERGUDANGAN AVIAN,  
BLOK CC NO.17, PEKANBARU

## PONTIANAK

JL. ADISUCIPTO KOMPLEK PERGUDANGAN SAKURA BIZ'S  
C7 KUBU RAYA 78391 - PONTIANAK, KALIMANTAN BARAT

## SEMARANG

KAWASAN INDUSTRI CANDI, JL. GATOT SUBROTO BLOK K-18D,  
KEL. PURWOYOSO KEC. NGALIYAN, SEMARANG 50184

## SOLO

JL. KANA BLOK A NO.8, GROGOL, SOLO BARU, SUKOHARJO,  
JAWA TENGAH 57552

## SURABAYA

JL. RUNGKUT INDUSTRI II / 43B, SURABAYA

## TANGERANG

JL. MUHAMMAD TOHA, KOMPLEK RUKO RAMAYANA BLOK A/7,  
KEL. MARGASARI, KEC. KARAWACI, KOTA TANGERANG 15113

## YOGYAKARTA

JL. KABUPATEN, KRONGGAHAN II RT.009 RW.009 TRIHANGGO,  
GAMPING SLEMAN, DI YOGYAKARTA 55291



“Japan Technology & Quality Home Appliances”



Hadir Untuk Melayani Anda



SMS & Whatsapp

0858-1000-3003

Call Center (Bebas Pulsa)

0800 1 003 003

www.aquajapanid.com

YouTube Facebook Instagram TikTok aquajapan aquajapanid

Twitter aquajapan\_id